




## 4inch Vessel



40 Side Port



40 End Port



High Pressure Series

Max. Working Pressure 300 psi

Element	L	D1	S
1	1160	112	610
2	2180	112	1350
3	3210	112	1960
4	4220	112	1580 X 2

Max. Working Pressure 600 psi

Element	L	D1	S
1	1182	116	610
2	2198	116	1350
3	3314	116	1960
4	4430	116	1580 X 2

## Parts



End Cap



O-ring



Saddle



Locking Ring



Strip

## 8inch Vessel

No	Qty.	Component	Material
1	8	Locking Screw	Stainless Steel
2	8	Locking Ring	Aluminium Alloy
3	2	Port Nut	ABS
4	2	Bearing Plate	Aluminium Alloy
5	2	Seating Plate	Aluminium Alloy
6	2	Seal Ring	GB 3452.1-83
7	2	Adaptor	ABS
8	4	Seal Ring	GB 3452.1-83
9	2	Thrust Ring	ABS





## 8inch Vessel





80 End Port



80 Side Port



High Pressure Series



### Maximum working Pressure 300 psi

Element	L	D1	P	S
1	1550	220	1180	700
2	2550	220	2200	1454
3	3560	220	3210	2064
4	4590	220	4250	1646 X 2
5	5600	220	5255	2000 X 2
6	6610	220	6265	2357 X 2

### Maximum working Pressure 450 psi

Element	L	D1	P	S
1	1590	227.8	1180	700
2	2690	227.8	2200	1454
3	3600	227.8	3210	2064
4	4630	227.8	4250	1646 X 2
5	5640	227.8	5255	2000 X 2
6	6630	227.8	6265	2357 X 2

### Maximum working Pressure 600 psi

Element	L	D1	P	S
1	1590	227.8	1180	700
2	2690	227.8	2200	1454
3	3600	227.8	3210	2064
4	4630	227.8	4250	1646 X 2
5	5640	227.8	5255	2000 X 2
6	6630	227.8	6265	2357 X 2

### Maximum working Pressure 1000 psi

Element	L	D1	P	S
1	1590	238.5	1180	700
2	2690	238.5	2200	1454
3	3600	238.5	3210	2064
4	4630	238.5	4250	1646 X 2
5	5640	238.5	5255	2000 X 2
6	6630	238.5	6265	2357 X 2